isee

12.200 | Metallic Havana Black Total Wrap | Specialities

Features

The 12.200 Metallic Havana Black is a 80 micron special effect cast PVC film. This Total Wrap product has been developed specifically for the vehicle wrapping market. By utilising cutting edge technology to combine the special PVC compounds together with high quality pigments, we can offer a film with incredible dimensional stability & long-term durability. Typical applications include vehicle graphics & signage projects that require an exterior service life of at least 5 years. The films are suitable for both indoor & outdoor environments.

Technical & Performance Information

Film Thickness 80 microns
Adhesive Thickness 20 microns
Total Thickness 100 microns

Adhesive Type Semi-permanent solvent based acrylic

Release Liner 140 gsm PE coated kraft liner

Artificial Weathering* 10 years Film Tensile Strength MD > 14 N/mm2 Film Elongation MD > 70 % Adhesion to steel (20 mins / 180°) 5 N/25mm Adhesion to steel (24 hrs / 180°) 10 N/25mm **Dimensional Stability** < 0.3 mm +10 to +25 °C **Application Temperature** -40 to +90 °C Service Temperature

Warranty

iSee2 warrantees our material for one (1) year from date of shipment. The shelf life of our material is dependent on storage conditions. We recommend that the end user stores the material in the original boxes (out of direct sunlight) from our factory. We also recommend to store our material at 21°C with 50% relative humidity. iSee2 only warrantees our products to be free from defects in workmanship or defects in iSee2 material. We will replace or credit any material deemed defective. No acceptance or responsibility for loss, damage or expense implied or otherwise shall be assumed by the seller or manufacturer. User assumes all risk and liability in connection herewith. All data values quoted above are typical and should not be used to deem the product defective, if measured values are different.

Groendreef 35 B-9880 Aalter | Belgium T +32 9 216 6700 F +32 9 216 6709 W www.isee2.eu

^{*} equivalent to vertical exposure in Mid-European climate